




NTK BEARING PRECISION AXLE CORP.



R6ZZC3 Bearing 2D drawings and 3D CAD models

NTN R6ZZC3 Single Row Ball Bearings

Bearing No. R6ZZC3

Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0
EAN	4547359496802
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C3-Loose
Inch - Metric	Inch
Long Description	3/8" Bore; 7/8" Outside Diameter; 9/32" Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C3-Loose Internal
Other Features	Deep Groove Miniature Bearing Shell Alvania Prelubricated
Category	Single Row Ball Bearing
UNSPSC	31171504



NTK BEARING PRECISION AXLE CORP.

Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	0.0423
D	0.875 Inch 22.225 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.281 Inch 7.137 Millimeter
d	0.375 Inch 9.525 Millimeter
bore diameter:	0.3750 in
precision rating:	Class 0
outside diameter:	0.8750 in
finish/coating:	Uncoated
overall width:	0.2812 in
bearing material:	High Carbon Chrome
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	0.2812 in
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	0.2812 in
snap ring included:	Without Snap Ring
maximum rpm (grease):	31000 rpm
internal clearance:	C3
fillet radius:	0.0160 in
operating temperature range:	-40 to 250 ° F
maximum rpm:	37000 RPM
dynamic load capacity:	740 lbf
series:	Micro



NTK BEARING PRECISION AXLE CORP.

static load capacity:	315 lbf
manufacturer product page:	Click here